BIO-key International Accessibility Conformance Report Revised Section 508 Edition

(Based on VPAT[®] Version 2.5)

Name of Product/Version:

PortalGuard, version 6.8.0

Report Date:

March 2024

Product Description:

PortalGuard helps customers with Identity Management solutions such as single sign-on, self-service password reset, two-factor authentication and cybersecurity methods.

Contact Information:

support@bio-key.com

[&]quot;Voluntary Product Accessibility Template" and "VPAT" are registered service marks of the Information Technology Industry Council (ITI)

Notes:

The answers in this report are for PortalGuard's default user interface and feature settings. This report does not apply to any ancillary features from BIO-key or 3rd parties (e. g. PortalGuard Desktop, Announcements or Lanyard Login extensions, Google reCAPTCHA). Customizing the user interface in any way and/or enabling additional features may void the following conformance report.

Also, PortalGuard is a web application and is not considered a "complex product". As such, all answers in the tables below for the "Conformance Level" and "Remarks and Explanations" columns apply to the "Web" category only. To conserve space and improve readability, the "Electronic Docs", "Software" and "Authoring Tool" categories have been removed.

Evaluation Methods Used:

- Testing is based on general product knowledge
- WAVE toolbar from WebAIM.org, <u>https://wave.webaim.org</u>
- Accessibility Checker toolbar from Siteimprove, https://chrome.google.com/webstore/search/Siteimprove%20Accessibility%20Checker

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports**: Some functionality of the product does not meet the criterion.
- **Does Not Support**: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.
- Not Evaluated: The product has not been evaluated against the criterion. This can only be used in WCAG Level AAA criteria.

WCAG 2.0 Report

Tables 1 and 2 also document conformance with Revised Section 508:

- Chapter 5 501.1 Scope, 504.2 Content Creation or Editing
- Chapter 6 602.3 Electronic Support Documentation

Note: When reporting on conformance with the WCAG 2.0 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the <u>WCAG 2.0 Conformance Requirements</u>.

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
 1.1.1 Non-text Content (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	
 1.2.1 Audio-only and Video-only (Prerecorded) (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	No pre-recorded audio or video Is used.
 1.2.2 Captions (Prerecorded) (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	No pre-recorded audio or video Is used.
 1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Not Applicable	No pre-recorded audio or video Is used.
 1.3.1 Info and Relationships (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 	Partially Supports	 The Admin Dashboard Reporting page has the following deficiencies for this criterion: 1. The "Username", "Start Date" and "End Date" fields do not have corresponding labels.

Criteria	Conformance Level	Remarks and Explanations
• 602.3 (Support Docs)		 2. The main report results table does not have a caption or any other description of the contents. 3. The drop-down field of available reports is not grouped or sorted. The sorted column of the report results is indicated using a different color header and an "up" or "down" image.
 1.3.2 Meaningful Sequence (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	
 1.3.3 Sensory Characteristics (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	
 1.4.1 Use of Color (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	
 1.4.2 Audio Control (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 	Not Applicable	No audio plays automatically

Criteria	Conformance Level	Remarks and Explanations
504.2 (Authoring Tool)602.3 (Support Docs)		
 2.1.1 Keyboard (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 2.1.2 No Keyboard Trap (Level A) Also applies to: Revised Section 508 	Supports	
 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	
 2.2.1 Timing Adjustable (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	NOTE: Randomly generated one-time passcodes (OTP) necessarily have limited lifespans for security purposes. Users can request new OTPs if the current one expires.
 2.2.2 Pause, Stop, Hide (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	
 2.3.1 Three Flashes or Below Threshold (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	

Criteria	Conformance Level	Remarks and Explanations
2.4.1 Bypass Blocks (Level A)		
 Also applies to: Revised Section 508 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	NOTE: PortalGuard does not show "repeated" content, so no bypass links are present
2.4.2 Page Titled (Level A)		
Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Supports	
2.4.3 Focus Order (Level A)		
Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Supports	
2.4.4 Link Purpose (In Context) (Level A)		
Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Supports	
3.1.1 Language of Page (Level A)		
Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs)	Supports	
3.2.1 On Focus (Level A) Also applies to: Revised Section 508	Supports	

Criteria	Conformance Level	Remarks and Explanations
 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 		
 3.2.2 On Input (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	
 3.3.1 Error Identification (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	
 3.3.2 Labels or Instructions (Level A) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Partially Supports	The Admin Dashboard Reporting page utilizes calendar/date pickers that have underlying year and month <select> fields with no corresponding labels</select>
 4.1.1 Parsing (Level A) Also applies to: WCAG 2.0 – Always answer 'Supports' Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	For WCAG 2.0 and the 508 standards, the September 2023 errata update indicates this criterion is always supported. See the <u>WCAG 2.0 Editorial Errata</u> .
4.1.2 Name, Role, Value (Level A) Also applies to: Revised Section 508 • 501 (Web)(Software) • 504.2 (Authoring Tool)	Partially Supports	The Admin Dashboard reporting page utilizes calendar/date pickers with underlying year and month <select> fields with no corresponding labels or attributes.</select>

Criteria	Conformance Level	Remarks and Explanations
602.3 (Support Docs)		

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA)		
Also applies to:		No live audio or video is used
Revised Section 508	Not Applicable	
 501 (Web)(Software) 		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
1.2.5 Audio Description (Prerecorded) (Level AA)		
Also applies to:		
Revised Section 508	Not Applicable	No pre-recorded audio is used
 501 (Web)(Software) 		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
1.4.3 Contrast (Minimum) (Level AA)		
Also applies to:		
Revised Section 508	Supports	
 501 (Web)(Software) 	Supports	
 504.2 (Authoring Tool) 		
602.3 (Support Docs)		
1.4.4 Resize text (Level AA)		
Also applies to:		
Revised Section 508	Supports	
 501 (Web)(Software) 	Supports	
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
1.4.5 Images of Text (Level AA)	Supports	

Criteria	Conformance Level	Remarks and Explanations
Also applies to:		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
2.4.5 Multiple Ways (Level AA)		
Also applies to:		
Revised Section 508	Not Applicable	PortalGuard does no utilize web page listings
 501 (Web)(Software) – Does not apply to non-web software 		r ortalodard does no dtilize web page listings
• 504.2 (Authoring Tool)		
 602.3 (Support Docs) – Does not apply to non-web docs 		
2.4.6 Headings and Labels (Level AA)		
Also applies to:		
Revised Section 508	Supports	
 501 (Web)(Software) 	Supports	
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
2.4.7 Focus Visible (Level AA)		
Also applies to:		
Revised Section 508	Supports	
 501 (Web)(Software) 		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
3.1.2 Language of Parts (Level AA)		
Also applies to:		
Revised Section 508	Supports	
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
3.2.3 Consistent Navigation (Level AA)		
Also applies to:	Supports	
Revised Section 508		
 501 (Web)(Software) – Does not apply to non-web software 		

Criteria	Conformance Level	Remarks and Explanations
 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 3.2.4 Consistent Identification (Level AA) Also applies to: Revised Section 508	Supports	
 501 (Web)(Software) – Does not apply to non-web software 504.2 (Authoring Tool) 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	
 3.3.3 Error Suggestion (Level AA) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Partially Supports	PortalGuard requires a user to prove their identity by supplying some form of valid credentials. This is typically done via a username and password. If the user does not know their username or correct password, then PortalGuard necessarily cannot provide information about how to enter these correctly without compromising the security of PortalGuard or the applications it may be protecting. PortalGuard provides alternate authentication methods to username and password such as voice biometrics, hardware tokens like YubiKey or Lanyard Login (a printed badge). However, the initial option requires speech, and the latter two options require a specific degree of physical mobility and dexterity.
 3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) Also applies to: Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs) 	Supports	

Table 3: Success Criteria, Level AAA

Notes: This report does no claim level AAA conformance, so the table has been omitted to save space

Revised Section 508 Report

Notes:

Chapter 3: Functional Performance Criteria (FPC)

Notes: PortalGuard is a web application only and should not be considered Information and Communication Technology (ICT). As such the table for Chapter 3: Functional Performance Criteria has been omitted

Chapter 4: <u>Hardware</u>

Notes: PortalGuard is a web application only. As such, the table for Chapter 4: Hardware has been omitted.

Chapter 5: <u>Software</u>

Notes: PortalGuard is a web application that does not have access to platform accessibility services and does not include components that have access to platform accessibility services. As such, the table for Chapter 5: Software has been omitted.

Chapter 6: <u>Support Documentation and Services</u>

Notes: PortalGuard is a web application only and should not be considered Information and Communication Technology (ICT). As such, the table for Chapter 6: Support Documentation and Services has been omitted.

Legal Disclaimer (Company)

Legal Disclaimer © 2023 BIO-key International. All rights reserved.

1. Companies and products mentioned by name in this Conformance Statement may be the trademarks of the owners of any such companies and products.

2. The information contained in this Conformance Statement represents the current view of BIO-key International. ("BIO-key") on the issues addressed as of the date of publication only. BIO-key cannot guarantee the accuracy of any information presented subsequent to the publication date of this Conformance Statement.

3. Some materials used in this Conformance Statement have been copied or derived from the Web Content Accessibility Guidelines (WCAG) 2.0. Copyright © 2015 W3C® (MIT, ERCIM, Keio, Beihang). The use of WCAG excerpts is solely for the purpose of itemizing BIO-key's accordance with the referenced WCAG sections. This Conformance Statement is not the Web Content Accessibility Guidelines (WCAG). The reader is directed to follow the appropriate links to the pertinent portions of the WCAG and not to use this Conformance Statement as a substitute for the actual WCAG. The complete guidelines are accessible through the following link: W3C WAI.Page 13 of 13

4. BIO-key's website is frequently updated. Among other things, the updates provide new information about the accessibility of products when available and relevant.

5. Customization of the product voids this Conformance Statement from BIO-key.

6. Customers may make independent conformance statements if they have conducted due diligence to meet all relevant requirements for their customization. Please consult with Assistive Technology (AT) vendors for compatibility specifications of specific AT products.

7. This Conformance Statement does not create a contract. It is provided solely for informational purposes.

8. BIO-KEY MAKES NO WARRANTIES, EXPRESS OR IMPLIED, IN THIS CONFORMANCE STATEMENT.